NOTE: WISCONSIN REQUIRES THE SINK WASTE OUTLET BE NOT MORE THAN 15" ABOVE TRAP OUTLET, ROUGH IN WASTE AT 19"



Locating waste on center **highly** recommended for easiest hookup, can be 1" right of center or 5" left of center - Trap piping **Must** allow clearance for moving shroud

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACCESSIBLE SYSTEMS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ACCESSIBLE SYSTEMS, INC IS PROHIBITED.

NEXT ASSY	USED ON	
APPLICATION		DO NOT SCALE DRAWING

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ± 1/16
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL

FINISH

	NAME	DATE
DRAWN	C SCHEFF	4/17/08
CHECKED		5-3-10
ENG APPR.		
MFG APPR.		
Q.A.		

COMMENTS:

REV: 1/1/18

Accessible Systems, Inc.

TITLE: ROUGH-IN FOR K100 3-STAGE PLUMBING

SIZE	DWG. NO.	REV
A	K100-87	J

SCALE: 1:8 | WEIGHT: | SHEET 1 OF 1

5 4 3 2 1